

## CLAIMS

### WHAT IS CLAIMED IS:

Subt  
5 1. A consumable film adapted to adhere to and dissolve in a mouth of a consumer, wherein said film comprises at least one water soluble polymer, at least one pharmaceutically active agent and at least one taste masking agent.

2. The consumable film according to claim 1, wherein said at least one water soluble polymer is a member selected from the group consisting of pullulan, hydroxypropylmethyl cellulose, hydroxyethyl cellulose, hydroxypropyl cellulose, polyvinyl pyrrolidone, carboxymethyl cellulose, polyvinyl alcohol, sodium alginate, polyethylene glycol, tragacanth gum, guar gum, acacia gum, arabic gum, polyacrylic acid, methylmethacrylate copolymer, carboxyvinyl polymer, amylose, high amylose starch, hydroxypropylated high amylose starch, dextrin, pectin, chitin, chitosan, levan, elsinan, collagen, gelatin, zein, gluten, soy protein isolate, whey protein isolate, casein and mixtures thereof.

3. The consumable film according to claim 2, wherein said at least one water soluble polymer is pullulan.

4. The consumable film according to claim 1, wherein said at least one pharmaceutically active agent is a member selected from the group consisting of antimicrobial agents, non-steroidal anti-inflammatory agents, antitussives, decongestants, anti-histamines, expectorants, anti-diaherals, H<sub>2</sub>-antagonists, proton pump inhibitors, central nervous system agents, analgesics and mixtures thereof.

5. The consumable film according to claim 4, wherein the antimicrobial agent is a member selected from the group consisting of triclosan, cetyl pyridium chloride, domiphen bromide, quaternary ammonium salts, zinc compounds, sanguinarine, fluorides, alexidine, octonidine, EDTA and mixtures thereof.

6. The consumable film according to claim 4, wherein the non-steroidal anti-inflammatory agent is a member selected from the group consisting of aspirin, acetaminophen, ibuprofen, diflunisal, fenoprofen calcium, naproxen, tolmetin sodium, indomethacin, and mixtures thereof.

5 7. The consumable film according to claim 4, wherein the antitussive is a member selected from the group consisting of benzonatate, caramiphen edisylate, dextromethorphan, chlophedianol, diphenhydramine, salts thereof and mixtures thereof.

10 8. The consumable film according to claim 4, wherein the decongestant is selected from the group consisting of pseudoephedrine, phenylephrine, phenylpropanolamine, salts thereof and mixtures thereof.

15 9. The consumable film according to claim 4, wherein the anti-histamine is selected from the group consisting of brompheniramine maleate, chlorpheniramine maleate, carbinoxamine maleate, clemastine fumarate, dexchlorpheniramine maleate, diphenhydramine hydrochloride, diphenhydramine citrate, diphenylpyraline hydrochloride, doxylamine succinate, promethazine hydrochloride, pyrilamine maleate, tripeleminamine citrate, triprolidine hydrochloride and mixtures thereof.

20 10. The consumable film according to claim 4, wherein the expectorant is selected from the group consisting of guaifenesin, ipecac, potassium iodide, terpin hydrate and mixtures thereof.

11. The consumable film according to claim 4, wherein the anti-diarrheal is loperamide.

25 12. The consumable film according to claim 4, wherein the H<sub>2</sub>-antagonist is selected from the group consisting of famotidine, ranitidine and mixtures thereof.

13. The consumable film according to claim 4, wherein the proton pump inhibitor is selected from the group consisting of omeprazole,

lansoprazole, and mixtures thereof.

14. The consumable film according to claim 1, wherein the at least one taste masking agent is an ion exchange resin.

15. The consumable film according to claim 14, wherein the ion exchange resin is a sulfonated polymer comprising polystyrene cross-linked with divinylbenzene.

16. The consumable film according to claim 14, wherein the ion exchange resin is a sulfonated polymer comprising polystyrene cross-linked with 8% of divinylbenzene, with an ion exchange capacity of about 4.5 to 5.5 meq/g of dry resin ( $H^+$ -form).

17. The consumable film according to claim 16, wherein the ion exchange resin has irregularly-shaped particles ranging in size from about 47 to about 149 micrometers.

18. The consumable film according to claim 16, wherein the ion exchange resin has spherical particles ranging in size from about 45 to about 150 micrometers.

19. The consumable film according to claim 14, wherein the ion exchange resin is a polymer composed of polystyrene cross-linked with 8% of divinylbenzene and functionalized with a quaternary ammonium group, and wherein an exchange capacity of said ion exchange resin is normally within a range of about 3 to about 4 meq/g of dry ion exchange resin.

20. The consumable film according to claim 1, wherein the at least one taste masking agent is magnesium trisilicate.

21. The consumable film according to claim 1, wherein said at least one water soluble polymer is pullulan, said at least one pharmaceutically active agent is dextromethorphan, and said at least one taste masking agent is a sulfonated polymer ion exchange resin comprising polystyrene cross-linked with divinylbenzene.

22. The consumable film according to claim 21, wherein said pullulan is present in an amount of about 40 to about 80 wt% of said film, said dextromethorphan is present in an amount of about 5 to about 40 wt% of said film, said sulfonated polymer ion exchange resin is present in an amount of about 5 to about 40 wt% of said film, and a ratio of said dextromethorphan to said sulfonated polymer ion exchange resin is 1:3 to 3:1.

23. The consumable film according to claim 22, wherein said pullulan is present in said film in an amount of about 2 to about 6 mg/cm<sup>2</sup>, said dextromethorphan is present in said film in an amount of about 1.4 to about 2 mg/cm<sup>2</sup>, and said sulfonated polymer ion exchange resin is present in said film in an amount of about 1.4 to about 2 mg/cm<sup>2</sup>.

24. The consumable film according to claim 22, further comprising:  
about 0.01 to about 5 wt% of at least one stabilizing agent;  
about 0.001 to about 0.1 wt% of at least one of at least one coloring agent;  
about 0.1 to about 70 wt% of water;  
about 0.1 to about 15 wt% of at least one sweetening agent;  
about 0.1 to about 15 wt% of at least one flavoring agent;  
about 0.1 to about 4 wt% of at least one cooling agent;  
about 0.1 to about 5 wt% of at least one surfactant;  
about 0.1 to about 12 wt% of a triglyceride;  
about 0.001 to about 5 wt% of a preservative;  
about 0.1 to about 5 wt% of a polyethylene oxide compound; and  
about 1 to about 20 wt% of propylene glycol.

25. A method for preparing the consumable film of claim 1, said method comprising:  
dissolving water-soluble ingredients in water to provide an aqueous solution;

